

**MATERIAL SAFETY DATA SHEET**

FAST CURE, CURING AGENT, PART B

Date of Issue: March 1 2024

**1. Identification Of Substance****Product Details**

**Product Name:** Curing agent for Fast Cure Resin  
**Products Use:** Art and Crafts, decoration, electronic components  
potting, coating, boat building, carbon fiber products  
**Manufacturer/Supplier By:** DESIGNER EPOXY

43 SAMSON BOUL SUITE 367  
LAVAL, QC, H7X 3R8

**2. Hazards Identification**

**Emergency Overview:** Not a hazardous substance or mixture according to Regulation (EC) No.1272/2008.  
Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 19999/45/EC

**GHS Classification:** The products does not need to be labelled in accordance with EC directives or respective national laws.

**Other hazards:** This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT),or very persistent and very bioaccumulative(vPvB) at levels of 0.1% or higher.

**Potential Acute Health Effects**

**Eyes:** Mildly irritating to eyes.  
**Skin:** Prolonged or repeated skin contact can cause irritation.  
**Inhalation:** May be irritating to upper respiratory tract.  
**Ingestion:** Single does oral toxicity is considered to be extremely low. No hazards expected from swallowing small amounts incidental to normal handling operations. Ingestion may cause gastrointestinal irritation.

**3. Composition /Date on Components**

COMPOENT	CAS#	%by wt.
Polyetheramic	9046-10-0	100%

**4. First aid Measures**

**Eye Contact:** Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get

# MATERIAL SAFETY DATA SHEET

FAST CURE, CURING AGENT, PART B

Date of Issue: March 1 2024

**Skin Contact:** medical attention.  
Wash with soap and water. If signs/symptoms develop, get medical attention.

**Inhalation:** Remove person to fresh air. Get medical attention.

**Ingestion:** Seek medical attention.

## 5. Fire Fighting Measures

**Fire Fighting Media:** Dry chemical, carbon dioxide, alcohol foam, water fog.

**Special Fire-Fighting Procedures:** As in any fire, firefighters should wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

## 6. Accidental Release Measures

**Personal precautions, protective equipment and procedures :** Evacuate area. Keep away from heat/sparks/open flames/hot surface.-No smoking Use only non-sparking tools. Ventilate the area with fresh air. Refer to other section of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**Environmental precautions:** Avoid release to the environment

**Methods material for Containment and cleaning up:** If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Cover spill area with a fire-extinguishing foam. An appropriate aqueous film forming foam (AFFF) is recommended. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Does not remove a toxic, corrosivity or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity

# MATERIAL SAFETY DATA SHEET

## FAST CURE, CURING AGENT, PART B

Date of Issue: March 1 2024

or flammability hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Collect the resulting residue containing solution. Seal the container. Dispose of collected material as soon as possible.

### 7. Handling And Storage

**Precautions for safe handling:** Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surface.-No smoking. Do not spray on an open flame or other ignition source. Pressurized container :Do not pierce or burn ,even after use .Do not breathe/dust/fume/gas/mist/vapours/spray Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents ( eg. chlorine, chromic acid etc.) Use personal protective equipment(eg. gloves, respirators) as required. Vapours may travel long distances along the ground or floor to an ignition source and flash back. Do not use in a confined area or areas with or no air movement.

**Conditions for safe storage including any incompatibilities:** Protect from sunlight. Do not expose to temperatures exceeding 50° C/122F. Store in a well-ventilated place. Keep container tightly closed. Store away from acids. Store away from oxidising agents.

# MATERIAL SAFETY DATA SHEET

## FAST CURE, CURING AGENT, PART B

Date of Issue: March 1 2024

### 8. Exposure Controls And Personal Protection

<b>Engineering controls:</b>	Do not remain in area where available oxygen maybe reduced. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/spray. If ventilation is not adequate, use respiratory protection equipment.
<b>Personal Protection Eyes:</b>	Wear safety glasses with side shields. Wear additional eye protection such as chemical goggles or face shield if splashing or spraying hazard exists. Have an eye wash station available.
<b>Body:</b>	To prevent skin contact use coveralls, apron, boots, or lab coat.
<b>Hands:</b>	Avoid skin contact by using chemically resistant gloves.
<b>Respiratory:</b>	No respiratory protection required under normal conditions of use. Use local exhaust to control excessive vapors/mists. If excessive vapors or mists are persist use appropriate NIOSH/MSHA approved organic vapor/mist respirator.
<b>Other:</b>	Open wounds or skin surface disruptions should be covered with a chemical resistant patch to minimize absorption risks. Clean clothing should be worn daily to avoid possible long-term build up of the product leading to chronic overexposure.

### 9. Physical And Chemical Properties

#### General Information

<b>Form:</b>	Liquid
<b>Color:</b>	Transparent
<b>Odor:</b>	Slight amine smell
<b>Boiling Point:</b>	Not Applicable
<b>Melting Point:</b>	Not Applicable
<b>Vapor Pressure:</b>	Not Applicable
<b>Vapor Density:</b>	Not Applicable

# MATERIAL SAFETY DATA SHEET

FAST CURE, CURING AGENT, PART B

Date of Issue: March 1 2024

<b>Solubility In Water:</b>	Not Applicable
<b>Specific Gravity(H<sub>2</sub>O=1):</b>	Not Applicable
<b>Density:</b>	1.02-1.10g/cm <sup>3</sup>
<b>Viscosity:</b>	10cps-20000cps/25° C
<b>pH:</b>	Not Applicable
<b>Freezing Point:</b>	Not Applicable
<b>Molecular Weight:</b>	Mixture, Not Applicable

## 10. Stability And Reactivity

<b>Chemical Stability:</b>	This material is chemically stable under normal and storage and handling conditions
<b>Hazardous Polymerization:</b>	Hazardous polymerization will not occur

## 11. Toxicological Information

<b>Chronic Toxicity:</b>	None know
<b>Carcinogenic Effects:</b>	None know
<b>Mutagenic Effects:</b>	None know
<b>Teratogenic Effects:</b>	None know
<b>Developmental Toxicity:</b>	None know
<b>Acute Effects on Humans:</b>	May cause skin, eye, and respiratory irritation
<b>Sensitization:</b>	Repeated or prolonged exposure to the substance at concentration above the exposure limits may cause respiratory tract and lung sensitization.

## 12. Ecological Information

<b>Ecotoxicity:</b>	No data available, however the material is not expected to have any deleterious toxic effects
<b>Environmental Fate:</b>	No data available regarding the environmental fate or biodegradation

## 13. Disposal Considerations:

<b>Product-Recommendation: Uncleaned</b>	Consult state, local or national regulations to ensure proper disposal.
<b>Packagings-Recommendation:</b>	Disposal must be made according to official regulations.

## 14. Transport Information

**UN number**

# MATERIAL SAFETY DATA SHEET

FAST CURE, CURING AGENT, PART B

Date of Issue: March 1 2024

<b>ARD/RID:</b> None	<b>IMDG:</b> None	<b>IATA:</b> None
<b>UN proper shipping name</b>		
<b>ADR/RID:</b> Not dangerous goods		
<b>IMDG:</b> Not dangerous goods		
<b>IATA:</b> Not dangerous goods		
<b>Transport hazard class(es)</b>		
<b>ADR/RID:</b> None	<b>IMDG:</b> None	<b>IATA:</b> None
<b>Packaging group</b>		
<b>ADR/RID:</b> None	<b>IMDG:</b> None	<b>IATA:</b> None
<b>Environmental hazards</b>		
<b>ADR/RID:</b> No	<b>IMDG Marine pollutant:</b> No	<b>IATA:</b> No

## 15. Regulations

### Product related hazards information:

Observe the general safety regulations when handling chemicals.

### National regulations:

All components of this product are listed in the EU Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

### Information about limitation of

**Use:** For use only by technically qualified individuals.

## 16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**DISCLAIMER:** Designer Epoxy expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our strict requirements, we are continuously testing our coatings and on occasion, formulations may be modified to improve certain properties within each coating. Information and data included in this reference document may not be up to date as of the date of reference.